

CLERKENWELL

A rich and diverse community once known for its traditional craft-making skills. A secret village of passageways and ancient buildings, with a history of political intrigue twisting around every corner.


A place re-energised and transformed into one of the most important design hubs in the world. Clerkenwell, a place where things happen and people get inspired.




ANGLED WALK IN THE FLINTLOCK AGW172-124-144



CIRCLE TOP VIEW IN BROADSIDE CTV48-172-144



TIME PIECE IN ZETTER'S POOL TPE139-118



WATCH MAKING IN CASTING IRON WMG152-139-118





TRAVELLING LINE IN GENTLEMAN'S PORTRAIT TVL13-172-144



TRIANGULAR PATH IN CLOTH PEG TGP48-172-144



ELY PLACE IN AUTHOR'S MARK ELP132-118-139

THREE CORNERS IN **CREATING ORDER** THC132-118-139

Red Cross Head Office, South Australia | Liquid Design & JDV Projects | Photographer: Sweet Lime Photography Left to Right: Clerkenwell in Three Corners, London Spy (THC158-157-73) and Major Frequency: One in Distortion, Tremour (DTN209-118) | Monolithic Herringbone Installation Respectively. -


28 A. E. A.

10




CLERKENWELL COORDINATES


	GREY GUNMETAL	CHARTREUSE GREY	LINEN BROWN	PARCHMENT NEUTRAL	VIOLET SHELL	PINK SUNSET	BLUE SMOKE
Angled Walk							
Ely Place							
Three Corners							
Travelling Line							
Triangular Path							
Circle Top View							
Watch Making							
Time Piece							



CLERKENWELL | ANGLED WALK



Red Cross Head Office, South Australia | Liquid Design & JDV Projects | Photographer: Sweet Lime Photography Three Corners in London Spy | THC158-157-73 | Monolithic Installation





AGW180-118-174 Hatter's Heights





AGW48-181-149 The Scullery

AGW171-33-104 Design Debate



AGW171-181-38 Old Haunts

The Clerkenwell collection is a multi tile design — composed of 16 individual tile elements to create one single design. Orders will ship as a randomised assortment of all 16 elements.





AGW172-124-144 The Flintlock



AGW13-83-144 Turning Page



AGW48-118-173 Rook's Nest



AGW152-139-118 Georgian Footsteps

ES RIANGL \vdash

CLERKENWELL | ELY PLACE



Ely Place in Unjust Judge | ELP180-79-174 | Monolithic Installation Three Corners in Crook's Lair | THC180-79-174 | Monolithic Installation





ELP180-79-174 Unjust Judge

ELP103-79-108 Mazed Garden





ELP149-173-181 Poet's Plot

ELP33-137-79 Turned Jeweller



ELP38-13-79 Crafted Fortunes

The Clerkenwell collection is a multi tile design — composed of 16 individual tile elements to create one single design. Orders will ship as a randomised assortment of all 16 elements.





ELP13-124-15 Rich Distiller



ELP27-83-144 Old Antiquary



ELP131-158-118 Lucid Writings



ELP132-118-139 Author's Mark

- TRIANGLES

CLERKENWELL | THREE CORNERS



Three Corners in Brewhouse Yard | THC13-124-15 | Monolithic Installation






THC180-79-174 Crook's Lair

THC103-79-108 Saffron Hill





THC149-173-181 Typesetting

THC33-137-79 Mosaic Gem





THC38-13-79 Secret Village

THC102-20-79 Chimney Top

The Clerkenwell collection is a multi tile design — composed of 16 individual tile elements to create one single design. Orders will ship as a randomised assortment of all 16 elements.





THC13-124-15 Brewhouse Yard



THC27-83-144 Strong Opinion



THC131-158-118 Tolpuddle




THC132-118-139 Creating Order



THC158-157-73 London Spy

RIANGLES \vdash

CLERKENWELL | TRAVELLING LINE







TVL154-180-174 Jack Dawkins

TVL144-118-103 Novel Character



TVL48-137-149 Ironmonger's Row

TVL148-171-104 Fifteen Puzzle



TVL151- 171-38 Notebook Plots

The Clerkenwell collection is a multi tile design — composed of 16 individual tile elements to create one single design. Orders will ship as a randomised assortment of all 16 elements.





TVL13-172-144 Gentleman's Portrait



TVL12-13-144 Vestry Minutes




TVL73-48-173 Architect's Plan



TVL140-152-118 Charcoal Merchant

RIANGLES \vdash

CLERKENWELL | TRIANGULAR PATH







TGP118-166-103 Full Bloom

TGP48-172-144 Cloth Peg



TGP48-149-38 Sword Buckler TGP171-110-104 Lady Justice TGP48-79-173 Fog House



TGP171-181-38 Velvet Cap

TGP180-27-118 Artful Twist

TGP171-73-157 Single Pin

TGP153-158-139 Parish Watch

TGP139-25-132 Trumpet Sound

The Clerkenwell collection is a multi tile design — composed of 16 individual tile elements to create one single design. Orders will ship as a randomised assortment of all 16 elements.









TGP152-119-118 Behind Bars



TGP48-98-167 Binding Pages




TGP13-139-140 Smooth Fields



TGP144-51-139 Whistling Bird





TGP118-103-141 Former Glory




TGP153-144-139 Hobby Horse




TGP118-166-103 Full Bloom

CLERKENWELL | CIRCLE TOP VIEW







CTV118-166-103 Pear Tree CTV180-118-174 Sorrell's London





CTV48-149-38 Royal Row

CTV171-110-104 Social Affair





CTV171-181-38 Dram Shop

CTV174-75-62 Gin Craze






CTV180-133-118 Spontaneous City

CTV171-145-67 Dickensian Mood

The Clerkenwell collection is a multi tile design — composed of 16 individual tile elements to create one single design. Orders will ship as a randomised assortment of all 16 elements.





CTV48-172-144 Broadside



CTV48-79-173 Cackle Tub



CTV13-139-144 Charterhouse



CTV15-144-83 Silver Cased




CTV152-119-118 Coin Laundry



CTV173-158-139 Berry Street

S CIRCLE

CLERKENWELL | WATCH MAKING



CLERKENWELL: Watch Making in Queen Curves | WMG13-154-83 | Monolithic Installation NATURALLY DRAWN: Watercolour Lesson in Canvas | WLN 144-83 | Monolithic Installation





WMG118-180-174 Turn Style


WMG118-79-103 Without Question






WMG48-104-38 Design Philosophy

WMG171-174-104 Percy Circus




WMG171-154-38 Sydney Grove

The Clerkenwell collection is a multi tile design — composed of 16 individual tile elements to create one single design. Orders will ship as a randomised assortment of all 16 elements.





WMG172-124-144 Sugden's Dictionary



WMG13-154-83 Queen Curves




WMG48-157-173 Crossing Tracks



WMG152-139-118 Casting Iron


CIRCLES

CLERKENWELL | TIME PIECE



Time Piece in Grand Avenue (TPE154-38) | Engine Turner (TPE154-83) | Fifty Guineas (TPE180-174) | Monolithic Installation





TPE180-174 Fifty Guineas

TPE79-103 Well Curated





TPE104-38 Silken Purse

TPE174-104 Five Stops






TPE154-38 Grand Avenue

TPE158-139-118 Clerk's Well

The Clerkenwell collection is a multi tile design — composed of 16 individual tile elements to create one single design. Orders will ship as a randomised assortment of all 16 elements.





TPE124-144 Gentry's Own



TPE154-83 Engine Turner



TPE157-173 Cold Bath



TPE139-118 Zetter's Pools



TPE144-27-118 Silvering Dials



TPE62-13-118 Into Point

CIRCLES

Self-sanitising Carpet

Integrated Infection Control



MGUARD+ treatment kills 99% of the SARS-CoV-2 virus within 2 hours of contact with Milliken PrintWorks™ carpet tiles.

MGUARD+ treatment kills 99% of S. aureus, E. coli, K. pneumoniae in 24 hours as per AATCC 174-2.

Duration of protection varies with use.

Powered by HealthGuard®.

Only available in Australia and New Zealand.











WellBAC[®]

Milliken WellBAC[®] open cell foam cushion provides superior durability, appearance retention and cushioning.





Up to 50% improved

Up to 24% greater

underfoot comfort for

enhanced ergonomics whilst standing.

acoustics for quieter, more productive spaces.

Industry leading moisture management with non-reactive backings to enhance the installation process.

3rd party Verified Red-List Free products for occupant and installer well-being.

Enhanced Indoor Air Quality (Low VOC) for improved occupant and installer well-being.

FACE FABRIC

Patterns and structures made up of nylon yarns with our state of the art tufting technology.

PRIMARY BACKING

The face yarn is tufted through a high quality non-woven textile. The structure of the textile holds the yarn in place acting as the primary backing.

PRECOAT

The precoat layer locks the tufted yarns in the primary backing to ensure good tuft bind strength between the yarns and the backing.

FIBERGLASS

A high quality fiberglass layer is embedded in the polyolefin compound to ensure dimensional stability of the tile.

SECONDARY BACKING

Proprietary Polyolefin compound layer formulated by Milliken R&D scientists to create a durable and stable tile. Our formulation does not contain PVC or plasticizers.


PREMIUM CUSHION

WellBAC[®] Comfort and Comfort Plus incorporate a premium cushion layer, designed to provide additional health and wellness benefits. Milliken's cushion is made from recycled polyurethane foam.

FELT BACK

A protective non-woven textile layer provides a breathable non-reactive finish. It enhances health and wellness.

Milliken's standard cushion backing system offering enhanced underfoot comfort, acoustic and wear performance.



Milliken.



Ely Place in Old Antiquary | ELP27-83-144 | Monolithic Installation

CLERKENWELL

Angled Walk | Circle Top View | Ely Place | Time Piece Three Corners | Travelling Line | Triangular Path | Watch Making

SPECIFICATION

M/PACT TM	When you choose M/PACT [™] products, you can be sure your choice is carbon neutral. M/PACT [™] carbon neutral products offset the raw materials and manufacturing carbon footprint [*] by using 3rd party Verified Carbon Standard Credits that support renewable energy and carbon reduction technologies to help fight climate change. *as calculated and verified through a ISO14025/ISO14040 compliant LCA and published in third party EPD.
Standard Backing	Cushion Backing WellBAC® Comfort (PVC FREE) (Non-Reactive Cushion Backing)
Acoustic Value	Noise Reduction Coefficient – NRC \ge 0.25 Impact Sound Pressure Level – Ln,w \le 47dB
Concrete Slab Moisture Mitigation	Site-Related Solutions (SRS). Milliken Cushion backed tile + Non-Reactive Standard adhesive means installation 60 days after a new concrete pour, fully warranted no moisture testing required. Refer millikenfloors.com.au
Antiviral Antibacterial	MGUARD+ Antiviral and Antibacterial Treatment. Further information refer to millikenfloors.com.au

Construction	Tufted, Textured Loop	Lightfastness (AATCC 16E)	≥4.0 at 80 Hours
Tile Size	50cm x 50cm	Static Electricity	≤3.5KV
Yarn Type	Milliken Certified 100% Nylon	(AATCC-134) 20% R.H., 70°F	
Stain Resist	StainSmart [®]	Indoor Air Quality	≤0.5mg/m³ (GLP0793)
Soil Release		CRI Green Label Plus™	
Dye Method	PrintWorks™	VOC	Pass (ISO 10580:2010)
Gauge	1/12	ACCS Grading	CEHD 4*, REHD2 6*,
Stitches Per Inch	11.2		Suitable for Stairs
Tufts	134/in ² (2,081/100cm ²)	Environmental	ECS Grading -
Recyclable	100%		Level 4 (Certificate No. 20166)
Nominal Total Thickness	8.2mm		Declare -
Nominal Total Weight	92.9 oz/yd² (3,150g/m²)		3rd Party Verified RED LIST FREE
Nominal Pile Thickness	2.1mm		Cradle to Cradle - Silver
Flammability	CHF/CRF = 5.2kW/m ² , Smoke va	Carbon Neutral	
(Radiant Panel Test)			Environmental Product
			Declaration (EPD)

Recommended Installation Method(s) Recommended Area of Use Warranties Monolithic Commercial Extra Heavy Duty 15-year Wear Warranty 15-year Dimensional Stability Warranty 15-year Anti-Static Warranty 15-year Castor Chair Wear Warranty





Australia: Toll Free: 1800 668 372

New Zealand: Toll Free: 0800 668 372

www.millikenfloors.com.au (Australia & New Zealand)



Alliance

WELL

LIVING

RTIFIED

LAB





Declare.

Health Product Declaration (HPD)

This WellBAC® cushion-back carpet tile product is covered by one or more patents, published applications and/ or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice. Copies of actual test results are available upon request.

© 2022 Milliken & Company | Design © Milliken & Company