

KARONA 3

Milliken




KARONA 3

Our Karona 3 Collection takes textural and tonal inspiration from extreme weather conditions, similar to a blizzard haze, atmospheric elements and deep tonal greys found in hardened lava rock. A strong variation of a greyscale palette paired with subtle patterns and coordinating accent colours offers simplicity and depth with effect.



ECLIPSE IN SOLAR
ECL133



LIGHTNING IN ALTO
LIG133-27-152



LUNAR IN ALTO
LUN133-27-152





Left to Right: Lunar in Wood (LUN133-124-27) and Eclipse in Pumice (ECL144) | Monolithic Installation



ECLIPSE


TILES

This core design is timeless and works again and again, in any setting.




ECL133 SOLAR

COLOURWAY




ECL27-154 BLUE MOON




ECL123 FREEZE



ECL27-152 FROST BITE




ECL124-27 GALAXY



ECL109 HEAT



ECL141 MOSS



ECL144 PUMICE



ECL133 SOLAR



ECL174-27 ROGUE



ECL125 WINTER STORM





LIGHTNING

TILES

A subtle linear contrast is found within this vastly effective design.



LIG133-27-152 ALTO

COLOURWAY




LIG133-125 AEGEAN



LIG133-27-152 ALTO



LIG174-27-152 BREEZE




LIG133-109 FLAME




LIG133-123 LAPIS



LIG133-27-154 MIDNIGHT



LIG133-141 SEAWEED



LIG133-144 SHADOW



LIG133-124-27 WOOD

LUNAR


New to the Karona collection, Lunar is highly textured with an organic and contemporary look.

TILES



LUN133-27-152 ALTO

COLOURWAY




LUN133-125 AEGEAN



LUN133-27-152 ALTO



LUN174-27-152 BREEZE




LUN133-109 FLAME



LUN133-123 LAPIS



LUN133-27-154 MIDNIGHT



LUN133-141 SEAWEED



LUN133-144 SHADOW



LUN133-124-27 WOOD



Lunar in Alto | LUN133-27-152 | Monolithic Installation



Outside Runner: Eclipse in Solar | ECL 133 | Monolithic Installation
Centre Runner: Nordic Stories in Hidden Plains, Fjord | HDP108-13 | Monolithic Installation
Rooms and Circular inset: Nordic Stories in Hidden Plains, Esker | HDP13-119 | Monolithic Installation

KARONA 3

Eclipse | Lightning | Lunar

SPECIFICATION



When you choose M/PACT™ products, you can be sure your choice is carbon neutral. M/PACT™ carbon neutral products offset the raw materials and manufacturing carbon footprint* by using 3rd party Verified Carbon Standard Credits that support renewable energy and carbon reduction technologies to help fight climate change.

*as calculated and verified through a ISO14025/ISO14040 compliant LCA and published in third party EPD.

Standard Backing

WellBAC® Function (PVC FREE) (Non-Reactive Backing)

Option: WellBAC® Comfort (PVC FREE) (Non-Reactive Backing)

Acoustic Value

Noise Reduction Coefficient - NRC ≥ 0.20

Impact Sound Pressure Level - Ln,w ≤ 55dB

Option: WellBAC® Comfort:

Noise Reduction Coefficient - NRC ≥ 0.25

Impact Sound Pressure Level - Ln,w ≤ 47dB

Construction	Tufted, Textured Loop	Lightfastness (AATCC 16E)	> 4.0 at 80 Hours
Tile Size	50cm x 50cm	Static Electricity	≤ 3.5KV
Yarn Type	100% Solution Dyed Nylon	(AATCC-134) 20% R.H., 70°F	
Stain Resist Soil Release	Built-In Protection	Indoor Air Quality	≤ 0.5mg/m³ (GLP3200)
Dye Method	Solution Dyed	CRI Green Label Plus™	WellBAC® Comfort option: ≤ 0.5mg/m³ (GLP7205)
Gauge	1/10	VOC	Pass (ISO 10580:2010)
Stitches Per Inch	10 (average)	ACCS Grading	Commercial Extra Heavy Duty & Stairs (CEHD(S) 4*)
Tufts	100/in² (1,550/100cm²)	Environmental	ECS Grading - Level 4 (Certificate No. 18064)
Recyclable	100%		WellBAC® Comfort option: Level 4 (Certificate No. 19087)
Nominal Total Thickness	5.84mm		Declare - 3rd Party Verified RED LIST FREE
	WellBAC® Comfort option: 8.4mm		Cradle to Cradle - Silver
Nominal Total Weight	102.5 oz/yd² (3,460 g/m²)		Carbon Neutral
Nominal Pile Thickness	3.0mm		Environmental Product Declaration (EPD)
Flammability	CHF/CRF = 6.2kW/m², Smoke value = 82%.min		Health Product Declaration (HPD)
(Radiant Panel Test)	WellBAC® Comfort option: CHF/CRF = 3.8kW/m², Smoke value = 113%.min		

Recommended Installation Method(s)

Quarter Turn | Monolithic

Recommended Area of Use

Commercial Extra Heavy Duty and Stairs

Warranties

15-year Wear Warranty

15-year Dimensional Stability Warranty

15-year Anti-Static Warranty

15-year Castor Chair Wear Warranty



Alliance
Founding
Member

Declare.



Milliken

Eclipse in Solar | ECL133 | Monolithic Installation

Australia:

Toll Free: 1800 668 372

New Zealand:

Toll Free: 0800 668 372

www.millikenfloors.com.au
(Australia & New Zealand)

This WellBAC® cushion-back carpet tile product is covered by one or more patents, published applications and/ or patents pending. Specifications are subject to normal manufacturing tolerances and may be changed without prior notice. Copies of actual test results are available upon request.

© 2022 Milliken & Company | Design © Milliken & Company