

# EDGESMITH



FOR RESIDENTIAL AND COMMERCIAL BALUSTRADES

# PS1


## NICKS

Producer Statement


Commercial and Residential Balustrades

The design is in compliance with the New Zealand Building Code (NZBC), NZS 3604:2011 section B1 and F4.  
Barrier loadings meet AS/NZS 1170.1:2002

Rev No. 02 | Issue Date: January 2023



Posted panels for retaining walls, pools & general fencing



Plated panels (post less) for decks & balcony

# NICKS

## Balustrade System

A modern architectural styled panel with striking vertical pickets closely spaced to accentuate the vertical lines of the house. Fence panels, balustrade panels and a matching series of gates compliment the range. The design is Pool safety compliant at 1.2m high.

### 1. Closely Spaced Pickets



The Nicks panel uses a 1:1 gap to depth ratio (40mm gap: 40mm depth) giving it a 45° block-out angle from one side of the fence and a 2:1 gap to depth ratio and 65° block-out angle from the other side. This balances visibility and privacy and makes the balustrade look like a solid smooth surface when viewed from the side.

### 2. Hidden Posts

The top rail of a Finn Balustrade can be capped off with a (optional) capping rail to give a flat surface suitable as a hand support.

### 3. 3d Balustrade

Equal Angle pickets create a three-dimensional effect that changes depending on the viewing angle. This can be used to dress-up an otherwise plain façade and improve the aesthetic of your home.





## Applications

The New Zealand Building Code (AS/NZS 1170.1:2002) designates different occupancy types and specifies the load ratings that the system must be capable of withstanding. The system comprises of the panel, posts, fixings and the structure that the balustrade is being attached to. These are summarised in the table below. Refer to the drawings on pages 5-9 for more details.

### Residential – Occupancy Type A, B, E, C3

Setting	Application	Type	Design Load	Plate Thickness / Post Centres	Fixing Options	Drawing Number	Pages
Residential	Side Fixed to Masonry Wall	Plated	0.75 kN/m	6mm	Chemset Rod, Screw Bolt	SF1, SF2	<b>Pg. 11</b>
	Side Fixed to Masonry Wall	Posted	0.75 kN/m	1459mm (1500mm MAX)	Chemset Rod	SF9	<b>Pg. 15</b>
	Side Fixed to Timber Deck	Plated	0.75 kN/m	6mm	M12 Coach Screws	SF5, SF6, SF7	<b>Pg. 13-14</b>
	Side Fixed to Timber Deck	Posted	0.75 kN/m	1459mm (1500mm MAX)	M12 Bolts	SF11	<b>Pg. 16</b>
	Side Fixed to Steel Boundary Beam	Plated	0.75 kN/m	6mm	M12 Bolts	SF4	<b>Pg. 12</b>
	Side Fixed to Steel Boundary Beam	Posted	0.75 kN/m	1459mm (1500mm MAX)	M12 Bolts	SF12	<b>Pg. 16</b>
	Side Fixed to Concrete Slab	Plated	0.75 kN/m	6mm	Chemset Rod, Screw Bolt	SF5, SF6, SF7, SF8	<b>Pg. 13-14</b>
	Side Fixed to Concrete Slab	Posted	0.75 kN/m	1459mm (1500mm MAX)	Chemset Rod	SF10	<b>Pg. 15</b>
	Side Fixed to Timber Retaining Wall	Posted	0.75 kN/m	1459mm (1500mm MAX)	M12 Coach Screws, M12 Bolts	SF13, SF14	<b>Pg. 17-18</b>
	Top Fixed to Concrete	Posted	0.75 kN/m	1459mm (1500mm MAX)	Chemset Rod, Screw Bolt	TF1, TF2	<b>Pg. 19</b>
	Top Fixed to Masonry	Posted	0.75 kN/m	1459mm (1500mm MAX)	Chemset Rod	TF3	<b>Pg. 20</b>
	Top Fixed to Timber Deck	Posted	0.75 kN/m	1459mm (1500mm MAX)	M12 Coach Screws	TF4	<b>Pg. 20</b>

### Commercial – Occupancy Type A, B, E, C1/C2, C3, D

Setting	Application	Type	Design Load	Plate Thickness / Post Centres	Fixing Options	Drawing Number	Pages
Commercial	Side Fixed to Masonry Wall	Plated	1.5 kN/m	8mm	Chemset Rod, Screw Bolt	SF1, SF2	<b>Pg. 11</b>
	Side Fixed to Steel Boundary Beam	Plated	1.5 kN/m	8mm	M12 Bolts	SF4	<b>Pg. 12</b>
	Side Fixed to Concrete Slab	Plated	1.5 kN/m	8mm	Chemset Rod, Screw Bolt	SF5, SF6, SF7	<b>Pg. 13-14</b>

AS/NZS 1170.1:2002 Table 3.3 Occupancy Reference



## Fasteners And Corrosion Zones

New Zealand's coastal climate means that attention must be paid to the proximity to salt water when choosing what fasteners to use. The table below is a guide to where hot dip galvanised fasteners can be used. While it may seem counter intuitive that sheltered installations require stainless steel fittings even within 5km of the sea, it is because regular exposure to rainfall cleans the fasteners and prolongs their life.

Environment	Corrosion Classification	Exposed	Sheltered
Within 500m of breaking surf or 50m of calm salt water	C4	All fixings 304 Stainless Steel	All fixings 304 Stainless Steel
Within 20km of salt water on West or South Coast of South Island or within 5km of salt water elsewhere	C3	All fixings Hot dip Galvanised or 304 Stainless Steel	All fixings 304 Stainless Steel
More than 20km of salt water on West or South Coast of South Island or more than 5km of salt water elsewhere	C2	All fixings Hot dip Galvanised or 304 Stainless Steel	All fixings Hot dip Galvanised or 304 Stainless Steel

**Note 1:** While hot dip galvanised fixings are acceptable in inland locations it is safer to use 304 grade stainless steel.


**Note 2:** The table above is only a guide. Please refer to SNZ TS 3404:2018, Figures 1 to 7 for specific corrosivity maps for further guidance.

## Inspection And Maintenance Schedule

This schedule of ongoing maintenance of structural elements shall be included with the O&M manuals and provided to the Owner/Body Corporate and building managers.


Timeframe	Inspection / Maintenance
1/2 yearly	Wash down all exposed metalwork including panels, posts and fixings
10 yearly	Check panels, posts and fixings for signs of corrosion. Repair protective coatings or replace as required.
Following seismic shaking > SLS1 event	Inspect and repair as per the 10 yearly requirements.

**Full engineers report with design calculations available on request.**






**The Nicks Balustrade - Face Fixed Flange Plate Type**



**The Nicks Balustrade - Post & Rail Type**





Te Kāhui Whaihanga  
New Zealand  
Institute of  
Architects



Building Code Clause(s)..... B1.....

## PRODUCER STATEMENT – PS1 – DESIGN

ISSUED BY:..... OBD Consultants Ltd  
(Design Firm)TO..... Edgesmith Ltd  
(Owner/Developer)TO BE SUPPLIED TO:..... Relevant City Council  
(Building Consent Authority)IN RESPECT OF:..... The Nicks Aluminium Balustrade System Design  
(Description of Building Work)AT:..... Throughout New Zealand  
(Address)Town/City:..... LOT..... DP..... SO.....  
(Address)

We have been engaged by the owner/developer referred to above to provide  
Structural Engineering Design services of the following SED items: The Nicks Aluminium Balustrade System and its connections to existing concrete, masonry, steel, and timber structural members.  
(Extent of Engagement)

Services in respect of the requirements of Clause(s)..... B1..... of the Building Code for  
All  or Part only  (as specified in the attachment to this statement), of the proposed building work.

The design carried out by us has been prepared in accordance with:

- Compliance Documents issued by the Ministry of Business, Innovation & Employment..... VM1..... or  
(Verification method / acceptable solution)
- Alternative solution as per the attached schedule.....

The proposed building work covered by this producer statement is described on the drawings titled:  
..... as per attached Schedule..... and numbered..... as per attached Schedule.....;  
together with the specification, and other documents set out in the schedule attached to this statement.

**On behalf of the Design Firm, and subject to:**

- (i) Site verification of the following design assumptions: The balustrade supporting structure/members are to accommodate loads induced by the barrier. Components exposed to environments that do not adversely affect the durability of steel bolts/screws along with washer and nuts.
- (ii) All proprietary products meeting their performance specification requirements; Option added to replace the Epcon C8 fixings with the Fischer Superbond Injection System where bonding anchor in concrete.....

I believe on reasonable grounds that a) the building, if constructed in accordance with the drawings, specifications, and other documents provided or listed in the attached schedule, will comply with the relevant provisions of the Building Code and that b), the persons who have undertaken the design have the necessary competency to do so. I also recommend the following level of construction monitoring/observation:

- CM1  CM2  CM3  CM4  CM5 (Engineering Categories) or  as per agreement with owner/developer (Architectural)

I,..... Tony O'Brien..... (AC Author NO: 1966) am:  CPEng..... 251875 #  Reg Arch..... #  
(Name of Design Professional)

I am a Member of:  Engineering New Zealand  NZIA and hold the following qualifications: BSc Dip Eng CMEngNZ CPEng IntPE(NZ)

The Design Firm issuing this statement holds a current policy of Professional Indemnity Insurance no less than \$200,000\*.

The Design Firm is a member of ACENZ:

SIGNED BY..... Tony O'Brien..... (signature)..... p.d.

(Name of Design Professional)

ON BEHALF OF..... OBD Consultants..... Job Ref:..... 20076..... Date..... 19/01/2023.....  
(Design Firm)

*Note: This statement shall only be relied upon by the Building Consent Authority named above. Liability under this statement accrues to the Design Firm only. The total maximum amount of damages payable arising from this statement and all other statements provided to the Building Consent Authority in relation to this building work, whether in contract, tort or otherwise (including negligence), is limited to the sum of \$200,000\*.*

This form is to accompany **Form 2 of the Building (Forms) Regulations 2004** for the application of a Building Consent.  
THIS FORM AND ITS CONDITIONS ARE COPYRIGHT TO ACENZ, ENGINEERING NEW ZEALAND AND NZIA





## GUIDANCE ON USE OF PRODUCER STATEMENTS

Producer statements were first introduced with the Building Act 1991. The producer statements were developed by a combined task committee consisting of members of the New Zealand Institute of Architects, Institution of Professional engineers New Zealand (now Engineering New Zealand), Association of Consulting Engineers New Zealand in consultation with the Building Officials Institute of New Zealand. The original suit of producer statements has been revised at the date of this form as a result of enactment of the Building Act (2004) by these organisations to ensure standard use within the industry.

The producer statement system is intended to provide Building Consent Authorities (BCAs) with reasonable grounds for the issue of a Building Consent or a Code Compliance Certificate, without having to duplicate design or construction checking undertaken by others.

**PS1 Design** Intended for use by a suitably qualified independent design professional in circumstances where the BCA accepts a producer statement for establishing reasonable grounds to issue a Building Consent;

**PS2 Design Review** Intended for use by a suitably qualified independent design professional where the BCA accepts an independent design professional's review as the basis for establishing reasonable grounds to issue a Building Consent;

**PS3 Construction** Forms commonly used as a certificate of completion of building work are Schedule 6 of NZS 3910:2013 or Schedules E1/E2 of NZIA's SCC 2011<sup>2</sup>

**PS4 Construction Review** Intended for use by a suitably qualified independent design professional who undertakes construction monitoring of the building works where the BCA requests a producer statement prior to issuing a Code Compliance Certificate.

This must be accompanied by a statement of completion of building work (Schedule 6).

The following guidelines are provided by ACENZ, Engineering NZ and NZIA to interpret the Producer Statement.

### Competence of Design Professional

This statement is made by a Design Firm that has undertaken a contract of services for the services named and is signed by a person authorised by that firm to verify the processes within the firm and competence of its designers.

A competent design professional will have a professional qualification and proven current competence through registration on a national competence based register, either as a Chartered Professional Engineer (CPEng) or a Registered Architect.

Membership of a professional body, such as Engineering New Zealand (formerly IPENZ) or the New Zealand Institute of Architects (NZIA), provides additional assurance of the designer's standing within the profession. If the design firm is a member of the Association of Consulting Engineers New Zealand (ACENZ), this provides additional assurance about the standing of the firm.

Persons or firms meeting these criteria satisfy the term "suitably qualified independent design professional".

### \*Professional Indemnity Insurance

As part of membership requirements, ACENZ requires all member firms to hold Professional Indemnity Insurance to a minimum level. The PI Insurance minimum stated on the front of this form reflects standard, small projects. If the parties deem this inappropriate for large projects the minimum may be up to \$500,000.

### Professional Services during Construction Phase

There are several levels of service which a Design Firm may provide during the construction phase of a project (CM1-CM5 for Engineers<sup>3</sup>). The Building Consent Authority is encouraged to require that the service to be provided by the Design Firm is appropriate for the project concerned.

### Requirement to provide Producer Statement PS4

Building Consent Authorities should ensure that the applicant is aware of any requirement for producer statements for the construction phase of building work at the time the building consent is issued as no design professional should be expected to provide a producer statement unless such a requirement forms part of the Design firm's engagement.

### Attached Particulars

Attached particulars referred to in this producer statement refer to supplementary information appended to the producer statement.

### Refer Also:

<sup>1</sup> Conditions of Contract for Building & Civil Engineering Construction NZS 3910: 2013

<sup>2</sup> NZIA Standard Conditions of Contract SCC 2011

<sup>3</sup> Guideline on the Briefing & Engagement for Consulting Engineering Services (ACENZ/IPENZ 2004)

<sup>4</sup> PN Guidelines on Producer Statements

[www.acenz.org.nz](http://www.acenz.org.nz)

[www.engineeringnz.org](http://www.engineeringnz.org)

[www.nzia.co.nz](http://www.nzia.co.nz)



To Kāhui  
Whaihangā  
New Zealand  
Institute of  
Architects



## DESIGN DOCUMENT SCHEDULE

JOB NO: 20076

DRAWING LIST			
SHEET NUMBER	SHEET NAME	CURRENT REVISION	REVISION DATE
1-205	THE FINNS BALUSTRADE SYSTEM DESIGN	-	17.12.2020
G01	GENERAL NOTES	A	21.12.2020
GA1	THE FINNS GENERAL ARRANGEMENT	A	21.12.2020
GA2	THE FINNS BALUSTRADE CONNECTIONS TABLE SUMMARY	A	21.12.2020
S01	CONNECTION TYPES SF1 & SF2	A	21.12.2020
S02	CONNECTION TYPES SF3 & SF4	A	21.12.2020
S03	CONNECTION TYPES SF5 & SF6	A	21.12.2020
S04	CONNECTION TYPES SF7 & SF8	A	21.12.2020
S05	CONNECTION TYPES SF9 & SF10	A	21.12.2020
S06	CONNECTION TYPES SF11 & SF12	A	21.12.2020
S07	CONNECTION TYPE SF13	A	21.12.2020
S08	CONNECTION TYPE SF14	A	21.12.2020
S09	CONNECTION TYPES TF1 & TF2	A	21.12.2020
S10	CONNECTION TYPES TF3 & TF4	A	21.12.2020

Date: 19/01//2023

Signed:  .....







19 January 2023  
Auckland Council  
Private Bag 92300  
Victoria Street West  
Auckland 1142

To the Building Official,  
Auckland Council

**The Nicks Aluminium Balustrade System Design at 20 Anvil Road, Silverdale, Auckland**


OBD Reference: 20076

Compliance with Building Code Clause B2 – Durability

The purpose of this letter is to demonstrate how compliance with Clause B2 (Durability) of the Building Code for the above project. We can confirm that for specifically designed structural elements that are included within our design documentation:

Material	Means of Compliance	Details
Steel structure & fixing components	Alternative solution	Protection for mild steel has been specified in accordance with SNZ TS 3404- Durability requirements for steel structures and components and AS/NZS 2312 – Guide to the protection of structural steel against atmospheric corrosion by the use of protective coatings. This guide works on a time to first maintenance. Refer to the attached maintenance plan.

Yours sincerely,

  
 p.p.  
**Tony O'Brien**  
 BSc Dip Eng CMEngNZ CPEng IntPE(NZ)  
 Director  
 For and on behalf of **OBD Consultants Ltd**




NICKS BALUSTRADE FACE FIXED FLANGE PLATE SIDE-FIXED (LOADING TYPE A, B, E & C3)										
FIXING CENTERS	MAX HEIGHT TO 1ST	MAX BENDING MOMENT	APPLICABLE CONNECTION/FIXING TYPES							
(in mm)	FIXING, $H_b$ (in mm)	(in kN.m)	SF1	SF2	SF3	SF4	SF5	SF6	SF7	SF8
480	1150	0.62	YES	YES	YES	YES	YES	YES	YES	YES
400	1250	0.56	YES	YES	YES	YES	YES	YES	YES	YES
320	1350	0.49	YES	YES	YES	YES	YES	YES	YES	YES
240	1400	0.38	YES	YES	YES	YES	YES	YES	YES	YES


NICKS BALUSTRADE FACE FIXED FLANGE PLATE SIDE-FIXED (LOADING TYPE C1/C2 & D)										
FIXING CENTERS	MAX HEIGHT TO 1ST	MAX BENDING MOMENT	APPLICABLE CONNECTION/FIXING TYPES							
(in mm)	FIXING, $H_b$ (in mm)	(in kN.m)	SF1	SF2	SF3	SF4	SF5	SF6	SF7	SF8
480	1150	1.24	YES	YES	/	YES	YES	/	YES	/
400	1250	1.13	YES	YES	/	YES	YES	/	YES	/
320	1250	0.90	YES	YES	/	YES	YES	YES	YES	/
240	1250	0.68	YES	YES	/	YES	YES	YES	YES	/

NICKS BALUSTRADE POST & RAIL SIDE-FIXED (LOADING TYPE A, B, E & C3)									
POST CENTERS	MAX HEIGHT TO 1ST	MAX BENDING MOMENT	APPLICABLE CONNECTION/FIXING TYPES						
(in mm)	FIXING, $H_f$ (in mm)	(in kN.m)	SF9	SF10	SF11	SF12	SF13	SF14	
1535	1170	2.02	YES	YES	YES	YES	YES	YES	


NICKS BALUSTRADE POST & RAIL TOP-FIXED (LOADING TYPE A, B, E & C3)							
POST CENTERS	POST HEIGHT FROM TOP	MAX BENDING MOMENT	APPLICABLE CONNECTION TYPES				
(in mm)	OF DECK, $H$ (in mm)	(in kN.m)	TF1	TF2	TF3	TF4	
1535	1100	1.90	YES	YES	YES	YES	



FLANGE PLATE SIDE FIXED




POST SIDE FIXED



POST TOP FIXED




FINN: RHS 65x16x1  
(6060-T5 ALUMINIUM)  
NICKS: EA 40x3  
(6063-T5 ALUMINIUM)




1  
- TYPE SF1 – FLANGE PL. SIDE FIXED TO MASONRY USING CHEMSET THREADED ROD  
SCALE: NOT TO SCALE

FINN: RHS 65x16x1  
(6060-T5 ALUMINIUM)  
NICKS: EA 40x3  
(6063-T5 ALUMINIUM)




2  
- TYPE SF2 – FLANGE PL. SIDE FIXED TO MASONRY USING CONCRETE SCREWS  
SCALE: NOT TO SCALE




DOUBLE BOUNDARY JOIST TORSIONAL RESTRAINTS AND CONNECTIONS TO DECK FRAMING (BY OTHERS).

3 TYPE SF3 – FLANGE PL. SIDE FIXED TO  
TIMBER BOUNDARY JOIST USING COACH SCREWS  
SCALE: NOT TO SCALE




STEEL BOUNDARY JOIST TORSIONAL RESTRAINTS AND CONNECTIONS TO DECK FRAMING (BY OTHERS).


4 TYPE SF4 – FLANGE PL. SIDE FIXED TO  
STEEL BOUNDARY JOIST USING BOLTS  
SCALE: NOT TO SCALE




5 TYPE SF5 – FLANGE PL. SIDE FIXED TO 200MM CONCRETE USING CHEMSET THREADED ROD  
SCALE: NOT TO SCALE




6 TYPE SF6 – FLANGE PL. SIDE FIXED TO 200MM CONCRETE USING SCREWS  
SCALE: NOT TO SCALE




7  
-  
TYPE SF7 – FLANGE PL. SIDE FIXED TO 150MM CONCRETE USING CHEMSET BOLT  
SCALE: NOT TO SCALE




8  
-  
TYPE SF8 – FLANGE PL. SIDE FIXED TO 150MM CONCRETE USING SCREWS  
SCALE: NOT TO SCALE



9 TYPE SF9 – POST SIDE FIXED TO  
MASONRY WITH CHEMSET THREADED ROD  
SCALE: NOT TO SCALE




10 TYPE SF10 – POST SIDE FIXED TO 200MM  
CONCRETE USING CHEMSET THREADED ROD  
SCALE: NOT TO SCALE



DOUBLE BOUNDARY JOIST TORSIONAL  
RESTRAINTS AND CONNECTIONS TO  
DECK FRAMING (BY OTHERS).


11  
-  
TYPE SF11 – POST SIDE FIXED TO  
TIMBER JOIST USING STEEL BOLTS  
SCALE: NOT TO SCALE




STEEL BOUNDARY JOIST TORSIONAL  
RESTRAINTS AND CONNECTIONS TO  
DECK FRAMING (BY OTHERS).


12  
-  
TYPE SF12 – POST. SIDE FIXED TO  
STEEL BOUNDARY JOIST USING BOLTS  
SCALE: NOT TO SCALE







13 TYPE SF13 – POST SIDE FIXED TO TIMBER  
RETAINING WALL USING COACH SCREWS  
SCALE: NOT TO SCALE






14  
-  
TYPE SF14 – POST SIDE FIXED TO  
TIMBER RETAINING WALL USING BOLTS  
SCALE: NOT TO SCALE







15 CONNECTION TYPE TF1 – TOP FIXED TO  
150MM CONCRETE USING CHEMSET THREADED ROD  
SCALE: NOT TO SCALE



16 CONNECTION TYPE TF2 – TOP FIXED  
TO 150MM CONCRETE USING SCREWS  
SCALE: NOT TO SCALE



17 CONNECTION TYPE TF3 – TOP FIXED TO MASONRY USING CHEMSET THREADED ROD  
SCALE: NOT TO SCALE



18 CONNECTION TYPE TF4 – TOP FIXED TO TIMBER BOUNDARY JOIST USING COACH SCREW  
SCALE: NOT TO SCALE



---

**North Auckland Branch**

20 Anvil Road, Silverdale  
Auckland 0932

**Contact**

T: 09 427 4980  
E: crew@edgesmith.co.nz

**South Auckland Branch**

20 Kerwyn Avenue, East Tamaki  
Auckland 2013

Monday - Friday:  
8.00am - 4.30pm

**Christchurch Branch**

4 Anchorage Road, Hornby,  
Christchurch 8042